# logitech®

DATA SHEET
LOGITECH RALLY BAR MINI

Simplicity meets versatility with Rally Bar Mini, Logitech's most advanced all-in-one video bar for small meeting rooms and huddle spaces. With studio-quality audio and video, AI-driven performance, and flexible deployment options, Rally Bar Mini sets a new standard for small room collaboration.

PREMIER VIDEO BAR FOR SMALL TO MEDIUM MEETING ROOMS

Rally Bar Mini is Logitech's premier all-in-one video bar for small rooms and huddle spaces.

It's remarkably simple to use, manage, and deploy at scale, delivering the capabilities of larger video bars like Logitech Rally Bar in a compact form factor for smaller spaces. With studio-quality audio and video, motorized pan and tilt, and AI-powered performance, Rally Bar Mini sets new standards for video collaboration.

Scalable across hundreds or thousands of rooms, Rally Bar Mini offers clutter-free cable management, multiple mounting options, and flexible deployment modes. Plug and play with virtually any PC or Mac, or run supported video conferencing applications on the device without a computer.

SIMPLE TO SET UP

USB Plug and Play

Easily connects to virtually any PC or Mac®, with no additional software required

Appliance Mode

Built-in compute allows you to run supported video conferencing applications such as Zoom directly on the device

All-in-One Design

Sleek, minimal footprint expedites setup and reduces clutter

Streamlined, Flexible Installs

Confidently deploy at scale with smart cable management and multiple mounting options

SIMPLE TO USE

RightSense Technologies

RightSight

Speaker View frames the active speaker while displaying a secondary view of the room to show participant interactions. Group View detects meeting participants automatically adjusts the lens and zoom so no one is left out of the picture.

RightLight

Intelligently adjusts video settings in all light conditions so everyone always looks their best

RightSound

AI-driven voice leveling and unwanted noise suppression deliver outstanding clarity

One-Touch Join

Optionally deploy with Tap to quickly and easily initiate meetings across Zoom, Microsoft Teams, and other cloud services

SIMPLE TO MANAGE

Logitech Sync

Single platform to monitor room health and keep devices up to date, plus insights on room occupancy

Deploy Updates at Scale

Easily propagate upgrades and bug fixes to Rally Bar and your other supported Logitech devices

Forward-Looking Architecture

Sync API is a robust foundation for new insights and integrations

Partner Dashboard Support

Fully integrated with partner solutions like Microsoft Teams, Zoom, and others for a simplified device management experience

AUDIO	VIDEO	AI VIEWFINDER
Room-filling Sound	**Ultra-HD Video**	**Framed to Perfection**
Ultra low distortion speakers with RightSound™ convey every word with outstanding clarity	Brilliantly sharp video, outstanding color, and exceptional optical accuracy at resolutions up to 4K	A second built-in camera lens has the ability to detect meeting participants, amplifying RightSight™ autoframing
Adaptive Beamforming Mic Array	**Expansive Room Coverage**	**See Everyone Clearly**
Beamforming mics pick up voices at every seat and focus on the active talker while suppressing ambient noise	Mechanical pan and tilt covers rooms 163° across by 110° high, with exceptional image quality	All meeting participants, even late arrivals, are automatically seen and included
Expansion Ready	**Cinema Quality**	**Move About Freely**
Add up to two Rally mic pods for even greater coverage in larger settings	Logitech RightLight™ technology captures natural-looking skin tones, even in dim or backlit conditions	AI Viewfinder uses scene awareness to keep the camera on the action

PRODUCT SPECS & LINKS

MICROPHONES

Frequency Response: 90Hz–16kHz

Sensitivity: >-36dBFS +/-1dB @ 1Pa

Microphone Data Rate Output: 48 kHz

Pickup Range: 4.5m/15 ft

Beamforming Elements: Six omnidirectional digital MEMS microphones forming five adaptive acoustic broadside beams

Audio Processing: AEC (Acoustic Echo Cancellation), VAD (Voice Activity Detector)

Noise Suppression: AI filter

Add-on Mics: Supports up to 2 additional Rally Mic Pods

INTERFACES

HDMI Out: 2 (up to 1080p)

HDMI In: 1

USB 3.0: 3x Type A, 1x Type C

Network: 10/100/1G Ethernet

WiFi: 802.11a/b/g/n/ac (MIMO)

External Mic Input: Yes (proprietary input supports optional Rally Mic Pod, Rally Mic Pod Hub, and Rally Mic Pod Extension Cable)

Remote Control: Bluetooth® Low Energy

POWER & CABLES

Power Supply: Auto-sensing

Operating Voltage/Power: 100-240V, 19V, 4.74A

Power Supply Dimensions: 127mm x 51mm x 30mm

DC Cable: 1.5m/4.9 ft

AC Cable: 1m/3.28 ft

HDMI 1.4 Cable: 2m/6.5 ft

USB A to USB C 3.0 Cable: 2.2m/7.2 ft

ENVIRONMENTAL

Operating Temperature: 0 to 40 °C
Storage Temperature: -40 to 70 °C
Humidity: 10 to 95%
BTU/hr: 57 idle, 64 in meeting

SECURITY

Full Disk Encryption: AES-128
Data Encryption: Symmetric Keys, PKI
Device Identity: Protected by device attestation
Device Access: Authenticated using API
Key Protection: Arm TrustZone, RPMP

WARRANTY

Standard: 2-year limited hardware warranty included

Extended: Additional one-year and three-year extended warranties available at the time of hardware purchase. Contact your reseller for availability.

PACKAGE CONTENTS

Rally Bar Mini
Power supply
AC power cord
HDMI cable

USB cable
Remote control
Lens caps for main lens and AI Viewfinder
User documentation

PRODUCT SPECS

Rally Bar Mini - Graphite

Part #: 960-001336

UPC: 097855162199

Rally Bar Mini - White

Part #: 960-001348

UPC: 097855162250

---

www.logitech.com/RallyBarMini

**Contact your reseller
or contact us at**
www.logitech.com/vcsales